

TOWN OF ABINGDON

Erosion and Sediment Control Notes

- EC-1: Unless otherwise indicated, all vegetative and structural ESC practices will be constructed and maintained according to the minimum standards and specifications of the Virginia ESC Handbook, latest edition.
- EC-2: The Town of Abingdon must be contacted at (276) 628-3167 one week prior to the commencement of land disturbing activity and one week prior to final inspection.
- EC-3: All ESC measures must be in place prior to or as the first step in clearing.
- EC-4: A copy of the approved ESC plan shall be maintained on the site at all times.
- EC-5: Prior to commencing land disturbing activities in areas other than indicated on these plans (including, but not limited to, off-site borrow or waste areas), the contractor shall submit a supplementary ESC plan to the owner for review and to the Town of Abingdon for approval.
- EC-6: The contractor is responsible for any additional ESC measures necessary to prevent erosion sedimentation as warranted by site conditions and as determined by the Town of Abingdon.
- EC-7: The contractor shall inspect all ESC measures periodically and after each runoff producing rainfall event. Any necessary repairs or cleanup to maintain the effectiveness of the erosion control devices shall be made immediately.
- EC-8: Any material tracked by vehicles from the site on to public streets, shall be thoroughly removed by shoveling and/or sweeping at the end of the workday.
- EC-9: The ESC narrative and calculations are an integral part of this plan.
- EC-10: The Town of Abingdon must approve any significant alterations, modifications, or deletions to the approved plan prior to implementation (unless emergency situations arise).

Note: The above Erosion and Sediment Control Notes must be included on the plan drawing